


DURHAM DISTRICT SCHOOL BOARD



INDIVIDUAL STUDENT ALLERGY MANAGEMENT PLAN

Place student's picture here

Student Name: _____

Date of Birth: _____

School: William Dunbar Public School _____


Teacher:

Classroom(s): _____

Grade: _____

ANAPHYLAXIS EMERGENCY PLAN

Place student's picture here



Student Name: _____

Teacher(s) Classroom (s): _____

This student has a life-threatening allergy to the following:

Strict avoidance of the allergen(s) by the student is critical to their well-being. An anaphylactic reaction can proceed quickly and prove fatal within minutes.

Epinephrine Auto-injector(s) MedicAlert® Identification

<input type="checkbox"/> EpiPen Jr® 0.15mg	<input type="checkbox"/> EpiPen® 0.30mg	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Allerject™ 0.15mg	<input type="checkbox"/> Allerject™ 0.30mg	

Location(s) of Auto-injector(s): _____

Asthmatic: Student is at greater risk. If student is having a reaction and has difficulty breathing, give epinephrine auto-injector before asthma medication

EARLY RECOGNITION OF SYMPTOMS AND TREATMENT COULD SAVE A PERSON'S LIFE!

A person having an anaphylactic reaction might have ANY of these signs and symptoms: Think F.A.S.T.

Face: itchiness, redness, rash, swelling of face and tongue


Airway: trouble breathing, swallowing or speaking

Stomach: stomach pain, vomiting, diarrhea

Total Body: rash, itchiness, swelling, weakness, paleness, sense of doom, loss of consciousness

A.C.T. quickly. The first signs of a reaction can be mild, but symptoms can get worse very quickly.


- 1. Addminister epinephrine** auto-injector at the first sign of a reaction occurring in conjunction with a known or suspected contact with an allergen. Give second dose in 10-15 minutes or sooner **IF** the reaction continues or worsens.
- 2. Call 911.** Tell them someone is having a serious allergic reaction / anaphylactic.
- 3. Transport to hospital** by ambulance even if symptoms are mild or have stopped.
- 4. Call the parent(s) / guardian(s) / emergency contact.**



PHYSICIAN INSTRUCTIONS

Student Name

Parent Name



Address

1) Does this patient have a known predisposition to anaphylaxis? _____

2) What medication is to be administered in the event of an anaphylactic reaction?

Name of Medication Dose or amount to Total doses or times

_____ be given: _____ per event: _____

Additional Instructions:

Prescribing Physician Name

Signature

Date

Address: Street City Postal Code Phone Number

PRE-AUTHORIZATION FOR THE ADMINISTRATION OF MEDICATION

I hereby pre-authorize and give permission for Colonel J.E. Farewell Public School to administer medication to my child in the event of an anaphylactic reaction, according to the Board's policies and procedures and the physician's prescription and instructions as described within this individual student plan.

Parent(s)/Guardian(s) Signature Date

Student's Signature Date

Student Name: _____

Type of Allergy and Details for Informing Employees	_____ _____ _____
Monitoring Strategies	_____ _____ _____
Avoidance Strategies	_____ _____ _____
Appropriate Treatment	_____ _____ _____
Emergency Procedure	_____ _____ _____

Location of student's additional epinephrine auto-injector(s):


Expiry Date(s) for epinephrine auto-injectors:

Monitoring Schedule (Checking auto-injector in student's possession):

Once per term Once per semester

Dates of Monitoring Check: _____

Person Monitoring: _____



Contingencies for Excursions:

(Including but not limited to: field trips, off-site sporting events etc.)

- Establishing parent/ designate who may stay with student
- Ensuring at least two (2) epinephrine auto-injectors are available
- Ensuring that staff has immediate access to a telephone/cell phone
- Other:

Emergency Contact Information:

Name	Relationship	Home Phone	Work Phone	Cell Phone

Parent(s)/Guardian(s) Signature Date

Student's Signature Date

Principal/Designate Signature Date

NOTE: THIS PLAN MUST BE REVIEWED BY THE PARENT AND PRINCIPAL BY JUNE 30TH OF EACH YEAR. UPDATED PHYSICIAN NOTES ARE ONLY REQUIRED IF THE INSTRUCTIONS FOR TREATMENTS THAT HAVE CHANGED.

