



## PREVALENT MEDICAL CONDITION — TYPE 1 DIABETES Plan of Care STUDENT INFORMATION Student Name \_\_\_\_\_ Date Of Birth \_\_\_\_\_ Ontario Ed. # \_\_\_\_\_ Age \_\_\_\_\_ Student Photo (optional) Grade \_\_\_\_\_ Teacher(s) \_\_\_\_\_

EMERGENCY CONTACTS (LIST IN PRIORITY)						
NAME	RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE			
1.						
2.						
3.						

TYPE 1 DIABETES SUPPORTS		
Names of trained individuals who will provide support with diabetes-related tasks: (e.g. designated staff or community care allies.)		
Method of home-school communication:		
Any other medical condition or allergy?		

DAILY/ROUTINE TYPE 1 DIABETES MANAGEMENT				
Student is able to manage their diabetes care independently and does not require any special care from the school.  The second Procedures  The second Procedures  The second Procedures  The second Procedures  The second Procedures				
ROUTINE	ACTION			
BLOOD GLUCOSE MONITORING	Target Blood Glucose Range			
☐ Student requires trained individual to check BG/ read meter.	Time(s) to check BG:			
☐ Student needs supervision to check BG/ read meter.	Contact Parent(s)/Guardian(s) if BG is:			
☐ Student can independently check BG/ read meter.	Parent(s)/Guardian(s) Responsibilities:			
☐ Student has continuous glucose monitor (CGM)	School Responsibilities:			
* Students should be able to check blood glucose anytime, anyplace, respecting their preference for privacy.	Student Responsibilities:			
NUTRITION BREAKS	Recommended time(s) for meals/snacks:			
☐ Student requires supervision during meal times to ensure completion.	Parent(s)/Guardian(s) Responsibilities:			
☐ Student can independently manage his/her food intake.	School Responsibilities:			
★ Reasonable accommodation must be made to allow student to eat all of the provided meals	Student Responsibilities:			
and snacks on time. Students should not trade or share food/snacks with other	Special instructions for meal days/ special events:			
students.				

ROUTINE	ACTION (CONTINUED)	
INSULIN	Location of insulin:	
	Location of insulin:	☐ Morning Break: ☐ Afternoon Break:  consibilities: ☐ tudent must do prior to physical activity sugar:
	3. After activity: Parent(s)/Guardian(s) Res	ponsibilities:
	Student Responsibilities: _ For special events, notify p	parent(s)/guardian(s) in advance so that arrangements can be made. (e.g.

ROUTINE	ACTION (CONTINUED)
DIABETES MANAGEMENT KIT	Kits will be available in different locations but will include:
Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are low.	□ Blood Glucose meter, BG test strips, and lancets □ Insulin and insulin pen and supplies. □ Source of fast-acting sugar (e.g. juice, candy, glucose tabs.) □ Carbohydrate containing snacks □ Other (Please list)
SDECIAL NEEDS	Commonts:
A student with special considerations may require more assistance than outlined in this plan.	Comments:

## **EMERGENCY PROCEDURES** HYPOGLYCEMIA – LOW BLOOD GLUCOSE ( 4 mmol/L or less) DO NOT LEAVE STUDENT UNATTENDED Usual symptoms of Hypoglycemia for my child are: ☐ Shaky ☐ Irritable/Grouchy ☐ Dizzy ☐ Trembling ☐ Blurred Vision ☐ Headache ☐ Hungry ☐ Weak/Fatigue ☐ Headache ☐ Hungry ☐ Confused ☐ Other \_\_\_\_\_ □ Pale Steps to take for Mild Hypoglycemia (student is responsive) 1. Check blood glucose, give \_\_\_\_\_grams of fast acting carbohydrate (e.g. ½ cup of juice, 15 skittles) 2. Re-check blood glucose in 15 minutes. 3. If still below 4 mmol/L, repeat steps 1 and 2 until BG is above 4 mmol/L. Give a starchy snack if next meal/snack is more than one (1) hour away. Steps for Severe Hypoglycemia (student is unresponsive) 1. Place the student on their side in the recovery position. 2. Call 9-1-1. Do not give food or drink (choking hazard). Supervise student until emergency medical personnel arrives. 3. Contact parent(s)/guardian(s) or emergency contact HYPERGLYCEMIA — HIGH BLOOD GLOCOSE (14 MMOL/L OR ABOVE) Usual symptoms of hyperglycemia for my child are: □ Extreme Thirst □ Frequent Urination □ Headache □ Hungry □ Abdominal Pain □ Blurred Vis □ Warm, Flushed Skin □ Irritability □ Other: \_\_\_\_ □ Blurred Vision □ Other: Steps to take for Mild Hyperglycemia 1. Allow student free use of bathroom 2. Encourage student to drink water only 3. Inform the parent/guardian if BG is above Symptoms of Severe Hyperglycemia (Notify parent(s)/guardian(s) immediately) ☐ Rapid, Shallow Breathing ☐ Vomiting ☐ Fruity Breath Steps to take for Severe Hyperglycemia 1. If possible, confirm hyperglycemia by testing blood glucose 2. Call parent(s)/guardian(s) or emergency contact

## 

**★**This information may remain on file if there are no changes to the student's medical condition.

	AUTHORIZ	ATION/PLAN	I REVIEW	
INDIVIDUALS	WITH WHOM	THIS PLAN OF	CARE IS TO BE SHARED	
1	2		3	
4	5		6	
Other individuals to be conta	acted regarding	Plan Of Care:		
	□Yes	=	- <del></del>	
After-School Program	☐ Yes	□ No		
School Bus Driver/Route # (	If Applicable) _			<del></del>
Other:				
reviewed on or before:			I year without change and will be (It is the parent(s)/guard nge the plan of care during the sch	dian(s) lool
Parent(s)/Guardian(s):			Date:	
	Signature			
Student:			Date:	
	Signature			
Principal:			Date:	
	Signature			